

EN 358, EN 361, EN 813



SPECIAL FEATURES



Suitable for explosion-hazard zones



Protection for maximum user's weight of 140 kg

PARAMETERS

Color black-red

TAPES

Material polyester

Elastyczne taśmy barkowe yes

Width 45 mm

THREADS

Material polyester

CONNECTING AND ADJUSTING BUCKLES

Material High-carbon steel, galvanised, ABS

Type automatic

ADJUSTING BUCKLES

Material galvanized steel

Type automatic

ATTACHMENT BUCKLE

Material galvanized steel

CHEST BUCKLE


Material plastic

Soft padding thigh straps, waist belt

VARIANTS

ref. no.	size
AB18022	S
AB18022	M - XL
AB18022	XXL

FIGURES



DIMENSIONS

	W	H	C	T
S	75 - 110 cm	155 - 170 cm	70 - 90 cm	40 - 60 cm
M-XL	85 - 120 cm	164 - 180 cm	85 - 100 cm	50 - 75 cm
XXL	90 - 140 cm	180 - 195 cm	100 - 130 cm	60 - 85 cm

P-80EmX

Safety harness with elastic webbing

IMPROVED

ADDITIONAL PHOTOS



PHOTOS 360 (ROTATING)



P-80EmX

Safety harness with elastic webbing

IMPROVED

